ELSEVIER

Journal of Alloys and Compounds 232 (1996) 309

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 232

Allibert, C.H., 296
Andersson, Y., 95
André, G., 165, 307
Aoki, K., 224
Aubertin, F., 174

Bánki, P., 84
Bara, J.J., 101
Battle, P.D., 147
Birot, M., 244
Blasse, G., 60
Blažina, Ž., 79
Bodak, O.I., L1
Bogacz, B.F., 101
Bois, L., 244
Bombik, A., 307
Bonhomme, F., 271
Bonin, B., 281
Bonville, P., 307
Bourée, F., 307
Boutbila, M.A., 32
Buschow, K.H.J., 90, 154, 165
Büttner, H.G., 174

Campbell, S.J., 174
Canepa, F., 71
Chattopadhyay, K., 224
Chen, C., 192
Cirafici, S., 71
Clarke, J.C., L12
Corsépius, S., 67

Daoudi, A., 180
de Boer, F.R., 154
de Groot, C.H., 154, 165
Derkaoui, S., 296
Drašner, A., 79
Dunlop, G.L., 264
Dunoguès, J., 244

Elcombe, M.M., 174

Fischer, P., 154
Fornasini, M.L., 289
Fournier, J.M., 119
Fujii, H., L16
Fukuda, K., 274

Ghandour, A.M., 95
Gibson, J.K., 302
Gouin, X., 244
Grange, P., 244
Gutfleisch, O., L12, L22

Häggström, L., 95
Haire, R.G., 302
Harada, T., 238
Hargitai, C., 84
Harris, I.R., L12, L22
Heimann, J., 63
Hiebl, K., 142
Howard, C.J., 174
Hulliger, F., 160

Imamura, H., 218
Isasi, J., 36
Itoh, H., 186
Iwahara, H., 186

Jingqi, L., 269
Just, G., 1

Kajii, Y., 218
Kanno, R., 53
Kaplan, W.D., 126
Katsura, M., 274
Kawamoto, Y., 53
Kimmel, G., 126
Kmieć, R., L8
Koechlin, F., 281
Kolenda, M., 307
Konishi, A., 53
Kruk, R., L8
Kuji, T., 238

Lasanda, G., 84
Łątka, K., L8
Latroche, M., 107
Laurent, Y., 244
Le Bihan, T., 142
Lee, J.-H., 197
Lee, J.-Y., 197
Lee, K.-Y., 197
L'Haridon, P., 244
Lenkewitz, M., 67
Létard, J.-F., 244
Lidström, E., 95
Liu, F., 204
Liu, F.-J., 212, 232
López, M.L., 36

Masumoto, T., 224
Méot-Reymond, S., 119
Merlo, F., 289
Middleton, D.P., 90
Moffat, D., 281
Muratova, L.O., L1

Neumann, M., 63
Noël, H., 142, 180

Ogawa, T., 302
Okamoto, Y., 302
Okonska-Kozłowska, I., 63
Oleś, A., 307
Orimo, S., L16

Pacyna, A., 307
Pani, M., 289
Paufler, P., 1
Paul-Boncour, V., 107
Pędziwiatr, A.T., 101
Percheron-Guégan, A., 107
Pico, C., 36
Pillot, J.-P., 244
Potel, M., 180
Powell, A.V., 147
Prots', Yu.M., L1
Przewoźnik, J., 107

Qiu, Y.Y., 254

Radwański, R.J., L5
Raghavan, S., L20
Rasneur, J., 32
Rentschler, T., 43
Rodríguez-Carvajal, J., 165
Rogl, P., 142

Safa, H., 281
Sakasai, N., 218
Salamakha, P.S., L1
Sandrock, G., 232
Scheidt, E.-W., 67
Schicketanz, H., 26
Schobinger-Papamantellos, P., 154, 165
Serizawa, H., 274
Sikora, W., 307
Sinan, S.A., L12
Šorgić, B., 79
Stewart, G.R., 67
Suda, S., 204, 212, 232
Sugiura, K., 186
Szytula, A., 307

Terzieff, P., 26
Thiel, R.C., 90
Tomala, K., L8
Tompa, K., 84
Tran, V.H., L8
Troć, R., L8

Valignat, N., 296
Van de Straat, D.A., 90
Van Steensel, L.I., 60
Varga, L.K., 84
Veiga, M.L., 36
Venturini, G., 133

Wang, C., 192
Wang, Q., 192
Wang, X., 192
Wang, X.-M., 224
Wei, L.Y., 264
Williams, A.J., L22
Winiarski, A., 63

Yvon, K., 271

Zaplatynsky, O.V., L1

Elsevier Science S.A.

ELSEVIER

Journal of Alloys and Compounds 232 (1996) 311–315

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 232

Activity
thermodynamic study of the dissolution of nitrogen in nitrogen-rich α-U_2N_{3+x} 274
Alkaline earths
RMX compounds formed by alkaline earths, europium and ytterbium. IV: ternary phases with M = Ag and X = Si, Ge, Sn, Pb 289
Aluminium–germanium
metastable phase formation during mechanical alloying of Al–Ge and Al–Si alloys 224
Aluminium–silicon
metastable phase formation during mechanical alloying of Al–Ge and Al–Si alloys 224
Ammonia
thermodynamic study of the dissolution of nitrogen in nitrogen-rich α-U_2N_{3+x} 274
Amorphous alloys
PMR measurements on $(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$–$H_y$ amorphous alloys 84
Amorphous materials
synthesis of amorphous $Nd_{15}Fe_{77}B_8$ alloy powders by mechanical alloying 238
Anode
self-discharge behaviour of sealed Ni–MH batteries using $MmNi_{3.3+x}Co_{0.7}Al_{1.0-x}$ anodes 197
Antiferromagnetism
characterisation of the ternary rare earth molybdenum germanides $RE_2Mo_3Ge_4$ 142
Antimony
the luminescence of Sb^{3+} in LaOCl 60

Barium
synthesis of ZrF_4–BaF_2–LnF_3 glasses (Ln = La, Ce, Pr, Nd or Eu) by combined processes of sol–gel and fluorination 53
Barium iridate
a time-of-flight powder neutron diffraction study of non-stoichiometry in barium iridate $BaIrO_{3-\delta}$ 147
Boron–silicon oxynitride
characterization of a boro-silicon oxynitride prepared by thermal nitridation of a polyborosiloxane 244

Cavitation
S-HDDR induced cavitation in NdFeB L22
Coarsening
the effect of the lattice strains on the directional coarsening of γ' precipitates in Ni-based alloys 254
Composite
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218
Composite material
hydriding properties of the Mg_2Ni–H system synthesized by reactive mechanical grinding L16
Coordination numbers
on the coordination of $ThCr_2Si_2$ ($BaAl_4$)-type compounds within the field of free parameters 1
Coordination polyhedra
on the coordination of $ThCr_2Si_2$ ($BaAl_4$)-type compounds within the field of free parameters 1
Copper-cadmium ferrites
the hyperfine field distribution in copper–cadmium ferrites studied by Mössbauer and NMR spectroscopies 169
Co substitution
substitution of Co into the system $YBaFeCuO_{5+\delta}$ 43
Covalency
investigation of $Cu_xGa_yCr_zSe_4$ single crystals 63
Creep
the effect of the lattice strains on the directional coarsening of γ' precipitates in Ni-based alloys 254
Crystal atomic structure
X-ray diffraction and Mössbauer studies of CeT_2Sn_2 (T = Cu, Pd and Pt) 95
Crystalline electric field
anomalous temperature dependence of the 4f quadrupole moment of the Yb^{3+} ion L5
Crystallographic data
equiatomic ternary lanthanum–transition metal–tin phases: structural and electrical results 71
Crystal structure
the X-ray investigation of the ternary Nd–Ag–Si system L1
a time-of-flight powder neutron diffraction study of non-stoichiometry in barium iridate $BaIrO_{3-\delta}$ 147
crystal structure and magnetic behaviour of the ternary uranium and thorium–molybdenum chalcogenides UMo_6S_8, UMo_6Se_8 and $ThMo_6S_8$ 180
synthesis and crystal structure refinement of cubic $Mg_{6.8}Y$ 271

Defects
a time-of-flight powder neutron diffraction study of non-stoichiometry in barium iridate $BaIrO_{3-\delta}$ 147
Deuteration
the crystal structure of Zr_2NiD_4 174
Deuterium site occupancy
the crystal structure of Zr_2NiD_4 174
Disordered interface phase
hydriding properties of the Mg_2Ni–H system synthesized by reactive mechanical grinding L16
Disproportionation
the disproportionated structure of Sm_2Fe_{17} observed by high resolution scanning electron microscopy L12

Electrical conductivity
structure and conductivity of $RhVO_4$: Relationship between the $MM'O_4$ oxides derived from the rutile-type 36
Electrical properties
electrical properties and chemical composition of VCr_2S_4 32

Elsevier Science S.A.

Electrical resistivity
equiatomic ternary lanthanum–transition metal–tin phases: structural and electrical results 71
localization of 5f electrons in δ-plutonium: Evidence for the Kondo effect 119
Electromotive force
Gibbs energy of formation of La_2CuO_4 using a calcium fluoride solid electrolyte galvanic cell L20
Environment types
on the coordination of $ThCr_2Si_2$ ($BaAl_4$)-type compounds within the field of free parameters 1
Equilibrium property
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232
EXAFS
X-ray diffraction and extended X-ray absorption fine-structure study of RMn_2 hydrides (R = Y, Gd or Dy) 107

Fluoride glass
synthesis of ZrF_4–BaF_2–LnF_3 glasses (Ln = La, Ce, Pr, Nd or Eu) by combined processes of sol–gel and fluorination 53
Free parameters
on the coordination of $ThCr_2Si_2$ ($BaAl_4$)-type compounds within the field of free parameters 1
F-treatment
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232

Galvanic cell
Gibbs energy of formation of La_2CuO_4 using a calcium fluoride solid electrolyte galvanic cell L20
^{155}Gd Mössbauer spectroscopy
a ^{155}Gd Mössbauer spectral study and magnetic properties of $Gd_2Fe_{17-x}Ga_x$ compounds 90
Gibbs energy of formation
Gibbs energy of formation of La_2CuO_4 using a calcium fluoride solid electrolyte galvanic cell L20
Graphite
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218

H evolution
self-discharge behaviour of sealed Ni–MH batteries using $MmNi_{3.3+x}Co_{0.7}Al_{1.0-x}$ anodes 197
HDDR
the disproportionated structure of Sm_2Fe_{17} observed by high resolution scanning electron microscopy L12
S-HDDR induced cavitation in NdFeB L22
Heavy fermion systems
X-ray diffraction and Mössbauer studies of CeT_2Sn_2 (T = Cu, Pd and Pt) 95
Hydride
hydrogen storage properties of $Ml_{1-x}Ca_xNi_5$ pseudobinary intermetallic compounds 192
Hydrides
PMR measurements on $(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$–$H_y$ amorphous alloys 84
X-ray diffraction and extended X-ray absorption fine-structure study of RMn_2 hydrides (R = Y, Gd or Dy) 107
Hydrogen absorption
the effect of aluminium on the structural and hydrogen sorption properties of $ErNi_5$ 79
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218
Hydrogen dissolved Mg_2Ni
hydriding properties of the Mg_2Ni–H system synthesized by reactive mechanical grinding L16
Hydrogen storage alloy
hydrogen storage properties of $Ml_{1-x}Ca_xNi_5$ pseudobinary intermetallic compounds 192
Hydrogen storage properties
hydrogen storage properties of $Ml_{1-x}Ca_xNi_5$ pseudobinary intermetallic compounds 192
Hyperfine field distribution
^{119}Sn Mössbauer study of the compound UAuSn L8

Incomplete hydriding reaction
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
Initial activation
hydriding properties of the ternary Mm-based AB_5 alloys modified by surface treatment 204
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
Initial activation characteristics
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232
Insoluble fluoride compounds
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232
Intermetallic compound
hydrogen storage properties of $Ml_{1-x}Ca_xNi_5$ pseudobinary intermetallic compounds 192
synthesis and crystal structure refinement of cubic $Mg_{6.8}Y$ 271
Intermetallic compounds
equiatomic ternary lanthanum–transition metal–tin phases: structural and electrical results 71
the effect of aluminium on the structural and hydrogen sorption properties of $ErNi_5$ 79
X-ray diffraction and extended X-ray absorption fine-structure study of RMn_2 hydrides (R = Y, Gd or Dy) 107
RMX compounds formed by alkaline earths, europium and ytterbium. IV: ternary phases with M = Ag and X = Si, Ge, Sn, Pb 289
Isodiastematics
on the coordination of $ThCr_2Si_2$ ($BaAl_4$)-type compounds within the field of free parameters 1
Isothermal section
isothermal section of the phase diagram of the ternary system Nd–Fe–Ni at 510 °C 269

La_2CuO_4
Gibbs energy of formation of La_2CuO_4 using a calcium fluoride solid electrolyte galvanic cell L20

$LaGa_4$
ordered $LaGa_4$ and its relation to other structures in the Ga–La binary system 126
Lanthanum oxychloride
the luminescence of Sb^{3+} in LaOCl 60
Lattice parameter
lattice parameter and electronic properties of the solid solution $CoSb_2$–$CoTe_2$ 26
Laves phase
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232
Localization of 5f electrons
localization of 5f electrons in δ-plutonium: Evidence for the Kondo effect 119
Long-term storability
hydriding properties of the ternary Mm-based AB_5 alloys modified by surface treatment 204
Low temperature physics
investigation of the transitions in UPd_3 67
Luminescence
the luminescence of Sb^{3+} in LaOCl 60

Magnesium
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218
Magnetic behaviour
crystal structure and magnetic behaviour of the ternary uranium and thorium–molybdenum chalcogenides UMo_6S_8, UMo_6Se_8 and $ThMo_6S_8$ 180
Magnetic properties
substitution of Co into the system $YBaFeCuO_{5+\delta}$ 43
a ^{155}Gd Mössbauer spectral study and magnetic properties of $Gd_2Fe_{17-x}Ga_x$ compounds 90
magnetic study of the compounds RMn_2Ge_2 ($R \equiv$ La–Sm, Gd) and $R_xY_{1-x}Mn_2Ge_2$ ($R \equiv$ La, Lu; $0 < x < 1$) above room temperature 133
magnetic properties and neutron diffraction of $TbMn_4Al_8$ 154
the magnetic ordering of the novel compound $ErGe_3$ 165
Magnetic susceptibility
lattice parameter and electronic properties of the solid solution $CoSb_2$–$CoTe_2$ 26
investigation of $Cu_xGa_yCr_2Se_4$ single crystals 63
localization of 5f electrons in δ-plutonium: Evidence for the Kondo effect 119
on tetragonal M_2Au_2In and related compounds 160
Marcasite-type phases
lattice parameter and electronic properties of the solid solution $CoSb_2$–$CoTe_2$ 26
Mechanical alloying
metastable phase formation during mechanical alloying of Al–Ge and Al–Si alloys 224
synthesis of amorphous $Nd_{15}Fe_{77}B_8$ alloy powders by mechanical alloying 238
Mechanical milling
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218
Metal hydride
hydrogen absorption of Mg-based composites prepared by mechanical milling: Factors affecting its characteristics 218
Metallographic microstructure
hydriding properties of the ternary Mm-based AB_5 alloys modified by surface treatment 204
Metastable phase
metastable phase formation during mechanical alloying of Al–Ge and Al–Si alloys 224
Mg–Al–rare earth alloys
the solidification behaviour of Mg–Al–rare earth alloys 264
Mg-fluoride surface
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
Mg–Y compound
synthesis and crystal structure refinement of cubic $Mg_{6.8}Y$ 271
Microsegeration
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232
Microstructure
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
Mm-fluorinated surface
hydriding properties of the ternary Mm-based AB_5 alloys modified by surface treatment 204
Mössbauer effect
^{119}Sn Mössbauer study of the compound UAuSn L8
X-ray diffraction and Mössbauer studies of CeT_2Sn_2 (T = Cu, Pd and Pt) 95
Mössbauer effect evidence of spin reorientation in $(Er_{1-x}Ce_x)_2Fe_{14}B$ intermetallic compounds 101
Mössbauer spectroscopy
anomalous temperature dependence of the 4f quadrupole moment of the Yb^{3+} ion L5
the hyperfine field distribution in copper–cadmium ferrites studied by Mössbauer and NMR spectroscopies 169

Nanocrystalline material
hydriding properties of the Mg_2Ni–H system synthesized by reactive mechanical grinding L16
Nd–Fe–B alloys
synthesis of amorphous $Nd_{15}Fe_{77}B_8$ alloy powders by mechanical alloying 238
Nd–Fe–Ni system
isothermal section of the phase diagram of the ternary system Nd–Fe–Ni at 510 °C 269
Neodymium
the X-ray investigation of the ternary Nd–Ag–Si system L1
Neutron diffraction
magnetic properties and neutron diffraction of $TbMn_4Al_8$ 154
the magnetic ordering of the novel compound $ErGe_3$ 165
the crystal structure of Zr_2NiD_4 174
$(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$
PMR measurements on $(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$–$H_y$ amorphous alloys 84
Ni-based alloy
the effect of the lattice strains on the directional coarsening of γ′ precipitates in Ni-based alloys 254
Ni-substitution
effects of Ni-substitution and F-treatment on the hydriding behaviors and microstructures of AB_2-compound $(Ti,Zr)(Mn,Cr)_2$ 232

Ni–MH
self-discharge behaviour of sealed Ni–MH batteries using $MmNi_{3.3+x}Co_{0.7}Al_{1.0-x}$ anodes 197
Niobium
advances in the purification of niobium by solid state gettering with titanium 281
NMR
the hyperfine field distribution in copper–cadmium ferrites studied by Mössbauer and NMR spectroscopies 169

Ordered structures
ordered $LaGa_4$ and its relation to other structures in the Ga–La binary system 126

Permanent magnet material
S-HDDR induced cavitation in NdFeB L22
1:7 phase
phase equilibria at 1150 °C in the Co-rich alloys Sm–Co–Zr and structure of the 1:7 phase 296
Phase diagram
the X-ray investigation of the ternary Nd–Ag–Si system L1
Phase equilibria
phase equilibria at 1150 °C in the Co-rich alloys Sm–Co–Zr and structure of the 1:7 phase 296
Phase formation
metastable phase formation during mechanical alloying of Al–Ge and Al–Si alloys 224
δ-Plutonium
localization of 5f electrons in δ-plutonium: Evidence for the Kondo effect 119
PMR
PMR measurements on $(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$–$H_y$ amorphous alloys 84
Polyborosiloxane
characterization of a boro-silicon oxynitride prepared by thermal nitridation of a polyborosiloxane 244
Precipitation
the effect of the lattice strains on the directional coarsening of γ′ precipitates in Ni-based alloys 254
Pressure sintering
preparation of TiB_2–B_4C composites by high pressure sintering 186
Processing
S-HDDR induced cavitation in NdFeB L22

Quadrupole moment
anomalous temperature dependence of the 4f quadrupole moment of the Yb^{3+} ion L5

Rare earth element
synthesis of ZrF_4–BaF_2–LnF_3 glasses (Ln = La, Ce, Pr, Nd or Eu) by combined processes of sol–gel and fluorination 53
Rare earth intermetallics
characterisation of the ternary rare earth molybdenum germanides $RE_2Mo_3Ge_4$ 142
Rare earths
ordered $LaGa_4$ and its relation to other structures in the Ga–La binary system 126
RMX compounds formed by alkaline earths, europium and ytterbium. IV: ternary phases with M = Ag and X = Si, Ge, Sn, Pb 289
Rare-earth compounds
a ^{155}Gd Mössbauer spectral study and magnetic properties of $Gd_2Fe_{17-x}Ga_x$ compounds 90
Rare-earth germanium compounds
the magnetic ordering of the novel compound $ErGe_3$ 165
Rare-earth–gold–indium intermetallics
on tetragonal M_2Au_2In and related compounds 160
Rare-earth intermetallic compounds
anomalous temperature dependence of the 4f quadrupole moment of the Yb^{3+} ion L5
Reactive mechanical grinding
hydriding properties of the Mg_2Ni–H system synthesized by reactive mechanical grinding L16
Relaxation
PMR measurements on $(Ni_{1-x}Cu_x)_{0.5}Zr_{0.5}$–$H_y$ amorphous alloys 84
Residual resistivity ratio
advances in the purification of niobium by solid state gettering with titanium 281
R-Fe-B compounds
Mössbauer effect evidence of spin reorientation in $(Er_{1-x}Ce_x)_2Fe_{14}B$ intermetallic compounds 101
$RhVO_4$
structure and conductivity of $RhVO_4$: Relationship between the $MM'O_4$ oxides derived from the rutile-type 36
Rietveld refinement
ordered $LaGa_4$ and its relation to other structures in the Ga–La binary system 126
RMn_2
X-ray diffraction and extended X-ray absorption fine-structure study of RMn_2 hydrides (R = Y, Gd or Dy) 107
RMn_2Ge_2 compounds
magnetic study of the compounds RMn_2Ge_2 (R ≡ La–Sm, Gd) and $R_xY_{1-x}Mn_2Ge_2$ (R ≡ La, Lu; $0 < x < 1$) above room temperature 133

Sealed cell
self-discharge behaviour of sealed Ni–MH batteries using $MmNi_{3.3+x}Co_{0.7}Al_{1.0-x}$ anodes 197
Self-discharge
self-discharge behaviour of sealed Ni–MH batteries using $MmNi_{3.3+x}Co_{0.7}Al_{1.0-x}$ anodes 197
Sesquinitride
thermodynamic study of the dissolution of nitrogen in nitrogen-rich α-U_2N_{3+x} 274
Silicon
the X-ray investigation of the ternary Nd–Ag–Si system L1
Silver
the X-ray investigation of the ternary Nd–Ag–Si system L1
Si–N bond
characterization of a boro-silicon oxynitride prepared by thermal nitridation of a polyborosiloxane 244
Sm_2Fe_{17}
the disproportionated structure of Sm_2Fe_{17} observed by high resolution scanning electron microscopy L12
Sm-Co-Zr
phase equilibria at 1150 °C in the Co-rich alloys Sm–Co–Zr and structure of the 1:7 phase 296
Sol–gel
synthesis of ZrF_4–BaF_2–LnF_3 glasses (Ln = La, Ce, Pr, Nd or Eu) by combined processes of sol–gel and fluorination 53

Solidification behaviour
the solidification behaviour of Mg–Al–rare earth alloys 264
Solid state purification
advances in the purification of niobium by solid state gettering with titanium 281
Specific heat
investigation of the transitions in UPd_3 67
Spin reorientation
Mössbauer effect evidence of spin reorientation in $(Er_{1-x}Ce_x)_2Fe_{14}B$ intermetallic compounds 101
Spinels
investigation of $Cu_xGa_yCr_zSe_4$ single crystals 63
Structural refinement
the crystal structure of Zr_2NiD_4 174
Structure
structure and conductivity of $RhVO_4$: Relationship between the $MM'O_4$ oxides derived from the rutile-type 36
Substitution effect
hydriding properties of the ternary Mm-based AB_5 alloys modified by surface treatment 204
Superalloy
the effect of the lattice strains on the directional coarsening of γ' precipitates in Ni-based alloys 254
Surface modification
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212

$TbMn_4Al_8$
magnetic properties and neutron diffraction of $TbMn_4Al_8$ 154
Ternary germanides
characterisation of the ternary rare earth molybdenum germanides $RE_2Mo_3Ge_4$ 142
Ternary hydrides
the effect of aluminium on the structural and hydrogen sorption properties of $ErNi_5$ 79
hydriding behavior of F-treated Mg_2Ni at moderate conditions 212
Ternary phase diagram
isothermal section of the phase diagram of the ternary system Nd–Fe–Ni at 510 °C 269
Ternary rare earth compounds
Mössbauer effect evidence of spin reorientation in $(Er_{1-x}Ce_x)_2Fe_{14}B$ intermetallic compounds 101
magnetic study of the compounds RMn_2Ge_2 ($R \equiv$ La–Sm, Gd) and $R_xY_{1-x}Mn_2Ge_2$ ($R \equiv$ La, Lu; $0 < x < 1$) above room temperature 133
Thermal nitridation
Characterization of a boro-silicon oxynitride prepared by thermal nitridation of a polyborosiloxane 244
Thermodynamics
thermodynamic study of the dissolution of nitrogen in nitrogen-rich α-U_2N_{3+x} 274
Thermoelectric power
lattice parameter and electronic properties of the solid solution $CoSb_2$–$CoTe_2$ 26
Thorium–molybdenum chalcogenides
crystal structure and magnetic behaviour of the ternary uranium and thorium–molybdenum chalcogenides UMo_6S_8, UMo_6Se_8 and $ThMo_6S_8$ 180
TiB_2–B_4C composites
preparation of TiB_2–B_4C composites by high pressure sintering 186
Time-of-flight neutron diffraciton
a time-of-flight powder neutron diffraction study of non-stoichiometry in barium iridate $BaIrO_{3-\delta}$ 147

U compounds
^{119}Sn Mössbauer study of the compound UAuSn L8
U intermetallics
^{119}Sn Mössbauer study of the compound UAuSn L8
UPd_3
investigation of the transitions in UPd_3 67
Uranium
thermodynamic study of the dissolution of nitrogen in nitrogen-rich α-U_2N_{3+x} 274
Uranium–molybdenum chalcogenides
crystal structure and magnetic behaviour of the ternary uranium and thorium–molybdenum chalcogenides UMo_6S_8, UMo_6Se_8 and $ThMo_6S_8$ 180

VCr_2S_x
electrical properties and chemical composition of VCr_2S_4 32

XPS
investigation of $Cu_xGa_yCr_zSe_4$ single crystals 63
X-ray diffraction
structure and conductivity of $RhVO_4$: Relationship between the $MM'O_4$ oxides derived from the rutile-type 36
X-ray diffraction and extended X-ray absorption fine-structure study of RMn_2 hydrides (R = Y, Gd or Dy) 107

$YBaFeCuO_{5+\delta}$
substitution of Co into the system $YBaFeCuO_{5+\delta}$ 43

Zirconium
synthesis of ZrF_4–BaF_2–LnF_3 glasses (Ln = La, Ce, Pr, Nd or Eu) by combined processes of sol–gel and fluorination 53
Zr_2NiD_x
the crystal structure of Zr_2NiD_4 174